




# FOR SHOWER CUBICLES & INTERNAL DOORS

**SL-ED-11-SET** 

Standard Sliding System



Edge Line sliding system is a self supporting sliding system for in line & 90° doors. Recomended for installation shower cubicles, this system supports the track on the fixed glass itself. A shower threshold is available to ensure 100% water tightness even below the sliding doorway. Standard sets are available for 1.65mtr & 2mtr opening.



# OSL-ED-SYS-11-1.65mtr. Standard Sliding System consists of

- Rollers 2 sets
- Track to Glass Holder 2 pcs
- Stopper 2 pcs
- Floor Guide 1 pc
- Wall to Track Connector 2 pcs
- Sliding Door Track 1.65mtr. 1 pc



# OSL-ED-SYS-11-2mtr. Standard Sliding System consists of

- Rollers 2 sets
- Track to Glass Holder 2 pcs
- Stopper 2 pcs
- Floor Guide 1 pc
- Wall to Track Connector 2 pcs
- Sliding Door Track 2mtr. 1 pc





### STANDARD SLIDING DOOR SYSTEMS

# GLASS DOOR SLIDING SYSTEM-11 (SHOWER ROOM) ACCESSORIES

#### **SL-ED-11-A1**

#### Sliding Door Roller






#### **Specifications**

#### **Sliding Door Roller**

- Independent needle bearings
- Eccentrically mounted rollers
- Bottom glass fixing point adjustable
- Countersunk head for better grip and look
- Glass thickness 8 10mm
- Stainless Steel Grade 304
- Finish: PSS



#### **SL-ED-11-A2**

#### Track to Glass Holder






#### **Specifications**

## Track to Glass Holder

- Firm grip with Glass & Track
- Stainless Steel Grade 304
- Finish: PSS



## SL-ED-11-A3

#### Stopper






# Specifications

#### Stopper

- Stopper with bumper
- Easily Slides in the track and held with grub screw
- Stainless Steel Grade 304
- Finish: PSS



## SL-ED-11-A4

#### Floor Guide






#### **Specifications**

#### Floor Guide

- Double Guide to hold Fixed and guide Moving Glass
- Controls movement of Sliding Glass
- Stainless Steel Grade 304
- Finish: PSS



## STANDARD SLIDING DOOR SYSTEMS





# **GLASS DOOR SLIDING SYSTEM-11** (SHOWER ROOM) ACCESSORIES

#### **OSSKH-1-ED**

#### Wall to Track Connector





# **Specifications**

- **Connector Track** • Two grub screws for holding track
- Stainless Steel Grade 304
- Finish: PSS

#### **SL-ED-11-A6**


#### Track to Glass Holder for 90° Shower Application





#### **Specifications**

- Firm Grip with Glass & TrackStainless Steel Grade 304
- Finish: PSS



## **OSL-ED-11-TRACK**


#### Sliding Track





#### **Specifications**

- Standard length 1.65mtr. & 2.00mtr.
- Stainless Steel Grade 304
- Finish: PSS



## OSL-ED-ST-11

#### Shower Threshold ( Accessory to be ordered apart from the set)





#### **Specifications**

- Available in Standard Length of 900mm
- Available in Standard Length of Scotting
   Ensures water tightness outside shower area
   Connected with floor guide SL-ED-11-A4
- Stainless Steel 304
- Finish-PSS